COMPUTER APPLICATIONS

Answers to this Paper must be written on the paper provided separately.

You will not be allowed to write during the first 15 minutes.

This time is to be spent in reading the question paper.

This Paper is divided into two Sections.

Attempt all questions from Section A and any four questions from Section B. The intended marks for questions or parts of questions are given in brackets [].

SECTION A (40 Marks) Attempt all questions

Question 1 Name any four tokens of Java. [2] (a) Give the difference between actual parameter and formal parameter. [2] (b) What is an identifier? (c) [2] (d) Write an expression in Java for: $\chi = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ [2] 2 - 10*3 + 100/11?(e) What is the result produced by Show the steps. [2] Question 2 What is the difference between local variable and instance variable? [2] (a) int x = 20, y = 10, z; What is the value of z in (b) z = ++x * (y - -) - y ?Show the steps. [2] What is the purpose of default in a switch? (c) [2] Give the difference between linear search and binary search. (d) [2] What will be the output of the following code? float x = 7.87; (e) System.out.println(Math.ceil(x); System.out.println(Math.floor(x); [2] Question 3 State the difference between if-else-if (a) ladder and switch...case. [2] Explain the concept of constructor overloading with an example. [2] (b) What will be the output of the following program segments? (c) (i) String s = "application"; int p = s.indexOf('a'); System.out.println(p); System.out.println(p+s); [2] String st = "PROGRAM"; (ii)

```
System.out.println(st.indexOf(st.charAt(4)));
                                                                               [2]
(iii)
       int a = 0;
       if(a>0 && a<20)
       a++;
       else a - - ;
       System.out.println(a);
                                                                               [2]
(iv)
       int a = 5, b = 2,c;
       if (a>b || a! = b)
       c = ++a+--b;
       System.out.print(c+ ""+a+ ""+b);
(v)
       int i = 1:
       while(i++<=1)
       {
              System.out.print(i + " " );
       System.out.print(i);
                                                                               [2]
Differentiate between isUpperCase(char) and toUpperCase(char).
                                                                               [2]
```

SECTION B (60 Marks) Attempt any four questions from this Section.

constructor function and a

[2]

[2]

The answers in this Section should consist of the Programs in either Blue J environment or any program environment with Java as the base. Each program should be written using Variable descriptions such that the logic of the program is clearly depicted.

Flow-Charts and Algorithms are not required.

between a

What is the difference between a static member function and a

Question 4

(d)

function of a class?

function which is not static?

Define a class taximeter having the following description:

Data members/instance variables

int taxino - to store taxi number

What is the difference

String name - to store passenger's name

int km - to store number of kilometres travelled

member

member

Sample Practice Paper

Member functions:

taximeter() -- constructor to initialize taxino to 0, name to " " and b to 0.

input() - to store taxino,name,km

calculate() - to calculate bill for a customer according to given conditions

kilometers travelled(km)	Rate/km
≤ 1 km	Rs 25
1 < km ≤ 6	Rs 10
6 < km ≤ 12	Rs 15
12 < km ≤ 18	Rs 20
>18 km	Rs 25

display()- To display the details in the following format

Taxino Name Kilometres travelled Bill amount

- - - -

Create an object in the main method and call all the above methods in it. [15]

Question 5

Write a menu driven program to find the sum of the following series depending on the user choosing 1 or 2

- 1. S=1/4+1/8+1/12....upto n terms
- 2. S=1/1! 2/2! + 3/3!.....upto n terms

where ! stands for factorial of the number and the factorial value of a number is the product of all integers from 1 to that number,

Question 6

Write a program to accept a sentence and print only the first letter of each word of the sentence in capital letters separated by a full stop.

Example:

INPUT SENTENCE: "This is a cat"

OUTPUT: T.I.A.C. [15]

Sample Practice Paper

Question 7

Write a program to create an array to store 10 integers and print the largest integer and the smallest integer in that array. [15]

Question 8

Write a program to calculate the sum of all the prime numbers between the range of 1 and 100. [15]

Question 9

Write a program to store 10 names in an array. Arrange these in alphabetical order by sorting. Print the sorted list. Take single word names, all in capital letters,

e.g. SAMSON, AJAY, LUCY, etc.

[15]